


# TeeJet®

## POLYMER FLAT SPRAY TIPS

### WITH *VisiFlo*® COLOR CODING



FLAT SPRAY  
PATTERN

**FEATURES:**


- TAPERED EDGE FLAT PATTERN FOR UNIFORM COVERAGE IN BROADCAST SPRAYING
- EXCELLENT RESISTANCE TO CORROSIVE SOLUTIONS.
- EXCELLENT WEAR CHARACTERISTICS.

**TYPICAL APPLICATIONS:**

- BEST FOR PRE-EMERGE SURFACE APPLIED HERBICIDES  
MINIMUM SPRAY PRESSURE OF 30 PSI.
- BEST FOR POST-EMERGE CONTACT HERBICIDES  
MINIMUM SPRAY PRESSURE OF 40 PSI.

Tip Color VisiFlo	Tip No. (Strainer Screen Size)	Liquid Pressure In PSI	Capacity 1 Nozzle In GPM	Gallons Per Acre															
				20" Spacing							30" Spacing								
				4 mph	5 mph	6 mph	7 mph	8 mph	10 mph	12 mph	14 mph	4 mph	5 mph	6 mph	7 mph	8 mph	10 mph	12 mph	14 mph
GREEN	80015VP	30	.13	9.7	7.7	6.4	5.5	4.8	3.9	3.2	2.8	6.4	5.1	4.3	3.7	3.2	2.6	2.1	1.8
	110015VP	40	.15	11.1	8.9	7.4	6.4	5.6	4.5	3.7	3.2	7.4	5.9	5.0	4.2	3.7	3.0	2.5	2.1
	(100 MESH)	50	.17	12.6	10.1	8.4	7.2	6.3	5.0	4.2	3.6	8.4	6.7	5.6	4.8	4.2	3.4	2.8	2.4
	60	.18	13.4	10.7	8.9	7.6	6.7	5.3	4.5	3.8	8.9	7.1	5.9	5.1	4.5	3.6	3.0	2.5	
YELLOW	8002VP	30	.17	12.6	10.1	8.4	7.2	6.3	5.0	4.2	3.6	8.4	6.7	5.6	4.8	4.2	3.4	2.8	2.4
	11002VP	40	.20	14.9	11.9	9.9	8.5	7.4	5.9	5.0	4.2	9.9	7.9	6.6	5.7	5.0	4.0	3.3	2.8
	(50 MESH)	50	.22	16.3	13.1	10.9	9.3	8.2	6.5	5.4	4.7	10.9	8.7	7.3	6.2	5.4	4.4	3.6	3.1
	60	.24	17.8	14.3	11.9	10.2	8.9	7.1	5.9	5.1	11.9	9.5	7.9	6.8	5.9	4.8	4.0	3.4	
BLUE	8003VP	30	.26	19.3	15.4	12.9	11.0	9.7	7.7	6.4	5.5	12.9	10.3	8.6	7.4	6.4	5.1	4.3	3.7
	11003VP	40	.30	22	17.8	14.9	12.7	11.1	8.9	7.4	6.4	14.9	11.9	9.9	8.5	7.4	5.9	5.0	4.2
	(50 MESH)	50	.34	25	20	16.8	14.4	12.6	10.1	8.4	7.2	16.8	13.5	11.2	9.6	8.4	6.7	5.6	4.8
	60	.37	27	22	18.3	15.7	13.7	11.0	9.2	7.8	18.3	14.7	12.2	10.5	9.2	7.3	6.1	5.2	
RED	8004VP	30	.35	26	21	17.3	14.9	13.0	10.4	8.7	7.4	17.3	13.9	11.6	9.9	8.7	6.9	5.8	5.0
	11004VP	40	.40	30	24	20	17.0	14.9	11.9	9.9	8.5	20	15.8	13.2	11.3	9.9	7.9	6.6	5.7
	(50 MESH)	50	.45	33	27	22	19.1	16.7	13.4	11.1	9.5	22	17.8	14.9	12.7	11.1	8.9	7.4	6.4
	60	.49	36	29	24	21	18.2	14.6	12.1	10.4	24	19.4	16.2	13.9	12.1	9.7	8.1	6.9	
BROWN	8005VP	30	.43	32	26	21	18.2	16.0	12.8	10.6	9.1	21	17.0	14.2	12.2	10.6	8.5	7.1	6.1
	11005VP	40	.50	37	30	25	21	18.6	14.9	12.4	10.6	25	20	16.5	14.1	12.4	9.9	8.3	7.1
	(50 MESH)	50	.56	42	33	28	24	21	16.6	13.9	11.9	28	22	18.5	15.8	13.9	11.1	9.2	7.9
	60	.61	45	36	30	26	23	18.1	15.1	12.9	30	24	20	17.3	15.1	12.1	10.1	8.6	
GRAY	8006VP	30	.52	39	31	26	22	19.3	15.4	12.9	11.0	26	21	17.2	14.7	12.9	10.3	8.6	7.4
	11006VP	40	.60	45	36	30	25	22	17.8	14.9	12.7	30	24	20	17.0	14.9	11.9	9.9	8.5
	(50 MESH)	50	.67	50	40	33	28	25	20	16.6	14.2	33	27	22	19.0	16.6	13.3	11.1	9.5
	60	.73	54	43	36	31	27	22	18.1	15.5	36	29	24	21	18.1	14.5	12.0	10.3	
WHITE	8008VP	30	.69	51	41	34	29	26	20	17.1	14.6	34	27	23	20	17.1	13.7	11.4	9.8
	11008VP	40	.80	59	48	40	34	30	24	20	17.0	40	32	26	23	20	15.8	13.2	11.3
	(50 MESH)	50	.89	66	53	44	38	33	26	22	18.9	44	35	29	25	22	17.6	14.7	12.6
	60	.98	73	58	49	42	36	29	24	21	49	39	32	28	24	19.4	16.2	13.9	

TABULATION BASED ON SPRAYING WATER AT 70° F.



\* ADJUST SPRAY HEIGHT IN THE FIELD TO OVERLAP A MINIMUM OF 30% OF EACH EDGE OF PATTERN.

SPRAY ANGLE	SUGGESTED MINIMUM SPRAY HEIGHT	
	20" SPACING	30" SPACING
80°	17" - 19"	26" - 28"
110°	15" - 18"	20" - 22"

**DESCRIPTION:**

GALLONS PER ACRE  
FOR 80 & 110 DEG. VP  
SPRAY TIPS  
BASED ON 20" & 30" SPACINGS



**Spraying Systems Co.®**

Spray Nozzles and Accessories  
P.O. Box 7900 - Wheaton, IL 60189-7900

Rev. No. 1

Data Sheet No.

Ref.

38116

SHEET OF